

Gunsmithing Tools

Gunsmith Screwdriver Set

Most commonly used sizes in a convenient storage pouch.



001201

Features

- Includes eight commonly used screwdriver sizes.
- Handy, durable storage pouch may be hung near work area for easy access.

Order No.	Description
001201	Gunsmith Screwdriver Set (Includes Nos. 1, 2, 3, 4, 5, 14, 15, 16)

Gunsmith Screwdrivers

The right tool and the right quality for the job.



Features

- Hollow ground blades with square faces accurately fit screw slot for optimal torque, will not damage screw or chamfer work (see Fig. 1 in Table 5).
- Made of high-quality steel and carefully heat treated.
- Each screwdriver is an individual unit, no sloppy inserts to slip in and out.

Table 5. Gunsmith Screwdriver Order Guide

Fig. 1			Dimensions			
Order No.	No.	Use	A	B	C	D
<p>Forster Products Screwdriver Blade</p> <p>Other Screwdriver Blade</p>						
001051	1	Rem., Win., etc., plug screws, S&W side plate screws	1/8"	4"	0.023"	0.048"
001061	2	Lyman, Leupold, Redfield scope screws, backstrap six gun	3/16"	4"	0.032"	0.046"
001071	3	B&L, Weaver, Buehler scope mount screws	3/16"	4"	0.037"	0.046"
001081	4	Williams 10-32 screws	1/4"	4"	0.041"	0.062"
001091	5	Rem., Win., Sako, Savage, etc., guard screws	5/16"	4"	0.040"	0.062"
001101	6	Special for butt stock screws	3/8"	12"	0.065"	0.062"
001131	10	Win., O/U butt, Browning trigger guard	3/8"	4"	0.021"	0.062"
001161	13	Browning automatic receiver screws	1/4"	4"	0.024"	0.062"
001171	14	Guard screws, general purpose	5/16"	4"	0.034"	0.062"
001181	15	Guard screws, general purpose	5/16"	4"	0.037"	0.062"
001191	16	Redfield streamlined scope mount rings	11/64"	4"	0.031"	0.046"
018001	17	Small screws, general purpose	1/8"	4"	0.035"	0.048"

Web



Go to our Video Library to view the Gunsmith Screws and Screwdrivers video.

Gunsmithing Tools

Trigger Guard Screws

An inexpensive way to replace damaged guard screws to upgrade the appearance of your firearm.

Features

- Superior, hot salts blued finish.
- Machine-turned heads for tighter tolerances and better fit.
- Provided in sets of two, three, and four, depending on gun model.



Order No.	Model	No. of Screws in Set
GD2ENF	Enfield reg.	2
GD2ENS	Enfield straightened	2
GD2J65	6.5 Jap	2
GD2J77	7.7 Jap	2
GD2MNL	Mauser, non-locking	2
GD2SAK	Sako (except Model 75)	2
GD2SPK	Spring Krag	2
GD2SVG	Savage 99	2
GD2SXL	Spring. XLong Rear Tang (03A3)	2
GD3REM	Rem.	3
GD3WIN	Win. 70	3
GD3WIN54	Win. 54	3
GD4MLK	Mauser, locking type	4

Stockmakers Hand Screws

Tough enough for repeated trial fittings.

Features

- Used in the final, accurate fitting of stock to action.
- Precision manufacture and hardening allow repeated trial fittings.
- Provided in sets of two.



Order No.	Model	Order No.	Model
SMENFI	Enfield	SMWINC	Win. 70
SMJAP6	6.5 Jap	SMREMI	Rem. 700/721/722 Sav. 110, Wby. MK V Dakota
SMJAP7	7.7 Jap		
SMMAUS	Mauser 98		
SMSAKO	Sako (except Model 75)		
SMSPRI	Spring./Krag	SMRUGR	Ruger 77

Stock Inletting Guide Screws

Keeps action square during the stock inletting process.

Features

- Extra long, headless, and free of threads in the fitting area.
- Allow repeated removal of barreled action in and out of stock without removing screws.
- Provided in sets of two.




Order No.	Model	Order No.	Model
SIENFI	1914 Enfield, 1917 Enfield, SMLE	SISAKO	Sako Howa Vanguard Wby
SIJAP6	6.5 Jap	SISPKR	Spring./Krag
SIJAP7	7.7 Jap & CZ550	SIWINC	Win. 70
SIM AUS	Mauser		
SIREMI	Rem. 700/721/722 Sav. 110 Wby. MK V Dakota		

Gunsmithing Tools

Gun Screw Assortment

A great way to be sure you have what you need, when you need it.






Features

- Use for mounting receiver sights, scope mounts, etc.
- Heat treated and blued.
- Includes 12 each of 23 of the most popular sizes and types (see Table 9).
- Priced substantially lower than the cost of buying the same screws individually.

Order No.	Description
GSA200	Gun Screw Assortment

Table 1. Standard Gun Screws Reference Chart
(lengths given are under the screw head)

Thread Size	Fillister Head (Type A)	Oval Head (Type B)	Plug Screw (Headless) (Type C) Not heat treated.
6-48 (.200" Head O.D.)	 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"	 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"	 1/8"
8-40 (.240" Head O.D.)	3/16", 1/4", 3/8"	3/16", 1/4", 3/8"	1/8"
10-32	—	—	1/8"



310 East Lanark Avenue
Lanark, Illinois 61046
P: 815-493-6360 • F: 815-493-2371
forsterproducts.com

WARRANTY

All Forster Products are warranted against defects in materials and workmanship for the life of the product. Parts excluded from the warranty are those that, by nature of their function, are subject to normal wear (such as springs, pins, etc.) or that have been altered, abused, or neglected. If the product is deemed defective by workmanship or materials, it will be repaired, reconditioned or replaced (at Forster's option). This warranty supersedes all other warranties for Forster Products, whether written or oral.